

PREMIUM

The Maax Spa Range

The ultimate spa experience



call **13SPAS** or visit maaxspa.com.au



Relax with Maax



M-390

Size	2000 x 2000 x 920mm	Controller	Gecko in.xe / in.k450
Seating Capacity	5+	Cabinet	Cedar Classic
Water Capacity	1350L	Drain	Cabinet Mounted Drain
Dry Weight	300kg	Filtration	1 x 75sqft
Filled Weight	1650kg	Insulation	Thermo Lock XS
		Hard Cover	Lockable Hard Cover
Hydrotherapy Jets	10	Base	Reinforced Fibreglass Base
Deep Tissue Massage	12	Electrical	15amp Direct Wire
Exercise Jet	1		
Air Jets	16	Optional Upgrades	
Total Stainless Steel Jets	39		<i>(See page 9 for details)</i>
		Supercharge Upgrade	N/A
High Performance Pumps	1 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	N/A
Blower	Single Speed Blower		
Heater	2kw		
Aromatherapy	Aromatherapy		
Ozone	O3 Pure XS		



M-440

Size	2150 x 1600 x 900mm	Controller	Gecko in.xe / in.k450
Seating Capacity	4+	Cabinet	Cedar Classic
Water Capacity	1100L	Drain	Cabinet Mounted Drain
Dry Weight	315kg	Filtration	1 x 75sqft
Filled Weight	1415kg	Insulation	Thermo Lock XS
		Hard Cover	Lockable Hard Cover
Hydrotherapy Jets	13	Base	Reinforced Fibreglass Base
Deep Tissue Massage	10	Electrical	15amp Direct Wire
Exercise Jet	1		
Air Jets	20	Optional Upgrades	
Total Stainless Steel Jets	44		<i>(See page 9 for details)</i>
		Supercharge Upgrade	Optional
High Performance Pumps	1 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	N/A
Blower	Single Speed Blower		
Heater	2kw		
Aromatherapy	Aromatherapy		
Ozone	O3 Pure XS		



Model Pictured is M-450 Supercharged

M-450

Size	2000 x 2000 x 900mm	Controller	Gecko in.xe / in.k450
Seating Capacity	5+	Cabinet	Cedar Classic
Water Capacity	1500L	Drain	Cabinet Mounted Drain
Dry Weight	440kg	Filtration	2 x 75sqft
Filled Weight	1940kg	Insulation	Thermo Lock XS
		Hard Cover	Lockable Hard Cover
Hydrotherapy Jets	16	Base	Reinforced Fibreglass Base
Deep Tissue Massage	10	Electrical	15amp Direct Wire
Exercise Jet	1		
Air Jets	18	Optional Upgrades	
Total Stainless Steel Jets	45		<i>(See page 9 for details)</i>
		Supercharge Upgrade	Optional
High Performance Pumps	1 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	N/A
Blower	Single Speed Blower		
Heater	2kw		
Aromatherapy	Aromatherapy		
Ozone	O3 Pure XS		

Specifications and pictures are based on portable models and are subject to change at manufacturers discretion.



M-460

Size	2355 x 2355 x 923mm	Controller	Gecko in.xe / in.k450
Seating Capacity	8+	Cabinet	Cedar Classic
Water Capacity	1700L	Drain	Cabinet Mounted Drain
Dry Weight	410kg	Filtration	2 x 75sqft
Filled Weight	2430kg	Insulation	Thermo Lock XS
		Hard Cover	Lockable Hard Cover
Hydrotherapy Jets	15	Base	Reinforced Fibreglass Base
Deep Tissue Massage	10	Electrical	15amp Direct Wire
Exercise Jet	1		
Air Jets	20	Optional Upgrades	
Total Stainless Steel Jets	46		<i>(See page 9 for details)</i>
		Supercharge Upgrade	N/A (See X-660)
High Performance Pumps	1 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	N/A
Blower	Single Speed Blower		
Heater	2kw		
Aromatherapy	Aromatherapy		
Ozone	O3 Pure XS		

for further information call **13SPAS** or visit maaxspa.com.au



M-500

Size	2150 x 2150 x 923mm	Controller	Gecko in.xe
Seating Capacity	7+	Cabinet	Cedar Classic
Water Capacity	1480L	Drain	Cabinet Mounted Drain
Dry Weight	370kg	Filtration	2 x 75sqft
Filled Weight	1850kg	Insulation	Thermo Lock XS
		Hard Cover	Lockable Hard Cover
Hydrotherapy Jets	19	Base	Reinforced Fibreglass Base
Deep Tissue Massage	10	Electrical	15amp Direct Wire
Exercise Jet	1		
Air Jets	20	Optional Upgrades	
Total Stainless Steel Jets	50		<i>(See page 9 for details)</i>
		Supercharge Upgrade	Optional
High Performance Pumps	1 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	N/A
Blower	Single Speed Blower		
Heater	2kw		
Aromatherapy	Aromatherapy		
Ozone	O3 Pure XS		



M-510

Size	2150 x 2150 x 923mm	Controller	Gecko in.xe
Seating Capacity	5+	Cabinet	Cedar Classic
Water Capacity	1480L	Drain	Cabinet Mounted Drain
Dry Weight	370kg	Filtration	2 x 75sqft
Filled Weight	1850kg	Insulation	Thermo Lock XS
		Hard Cover	Lockable Hard Cover
Hydrotherapy Jets	22	Base	Reinforced Fibreglass Base
Deep Tissue Massage	10	Electrical	15amp Direct Wire
Exercise Jet	1		
Air Jets	18	Optional Upgrades	
Total Stainless Steel Jets	51		<i>(See page 9 for details)</i>
		Supercharge Upgrade	Optional
High Performance Pumps	1 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	N/A
Blower	Single Speed Blower		
Heater	2kw		
Aromatherapy	Aromatherapy		
Ozone	O3 Pure XS		

All our models are available in the following heating configurations:

- Portable with Electric Heating
- Portable Electric Hybrid with Gas Heater or Heat Pump
- In-ground Electric Hybrid with Gas Heater or Heat Pump
- In-ground with Gas Heater or Heat Pump

Everyone has different needs that are influenced by home and lifestyle factors. We also know that our spas are cost-effective to run without any additions. However, with rising energy costs and the need to reduce our carbon footprint, there is a requirement to look at other energy efficient solutions that complement spa installations worldwide. At Maax Spa, the home of the Original Hybrid Spa, we select only the highest quality components and use the most advanced technological solutions to guarantee that your spa will be cost-effective to run and fit your home and lifestyle requirements.





X-660

Size	2355 x 2355 x 923mm	Ozone	O3 Pure XS
Seating Capacity	8+	Controller	Gecko in.xm / in.k600
Water Capacity	1700L	Cabinet	Cedar Classic
Dry Weight	500kg	Drain	Cabinet Mounted Drain
Filled Weight	2200kg	Filtration	2 x 75sqft
		Insulation	Thermo Lock XS
Hydrotherapy Jets	31	Hard Cover	Lockable Hard Cover
Deep Tissue Massage	14	Base	Reinforced Fibreglass Base
Swim Jet	1	Electrical	32amp Direct Wire
Air Jets	20		
Waterfalls	-	Optional Upgrades	
Total Stainless Steel Jets	66	(See page 9 for details)	
		Supercharge Upgrade	N/A
High Performance Pumps	2 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	Optional
Blower	Single Speed Blower		
Heater	3.8kw		
Aromatherapy	Aromatherapy		

X-680

Size	2355 x 2355 x 923mm	Ozone	O3 Pure XS
Seating Capacity	6+	Controller	Gecko in.xm / in.k600
Water Capacity	1700L	Cabinet	Cedar Classic
Dry Weight	500kg	Drain	Cabinet Mounted Drain
Filled Weight	2200kg	Filtration	2 x 75sqft
		Insulation	Thermo Lock XS
Hydrotherapy Jets	24	Hard Cover	Lockable Hard Cover
Deep Tissue Massage	26	Base	Reinforced Fibreglass Base
Swim Jet	1	Electrical	32amp Direct Wire
Air Jets	17		
Waterfalls	-	Optional Upgrades	
Total Stainless Steel Jets	68	(See page 9 for details)	
		Supercharge Upgrade	N/A
High Performance Pumps	2 x 3HP	Evadure Cabinet	Optional
Circulation Pump	250 Watt	Steps	Optional
LED Lights	LED Radiance XS	Harmony XS	Optional
Blower	Single Speed Blower		
Heater	3.8kw		
Aromatherapy	Aromatherapy		



XS850

Size	2355 x 2355 x 923mm	Ozone	O3 Pure XS
Seating Capacity	5+	Controller	Gecko in.xm / in.k600
Water Capacity	1700L	Remote	Floating Remote & Sensor
Dry Weight	520kg	Cabinet	Cedar Classic
Filled Weight	2200kg	Drain	Cabinet Mounted Drain
		Filtration	2 x 75sqft
Hydrotherapy Jets	26	Insulation	Thermo Lock XS
Deep Tissue Massage	40	Hard Cover	Lockable Hard Cover
Swim Jet	2	Base	Reinforced Fibreglass Base
Air Jets	16	Electrical	32amp Direct Wire
Waterfalls	1		
Total Stainless Steel Jets	85	Optional Upgrades	
		<i>(See page 9 for details)</i>	
High Performance Pumps	3 x 3HP	Supercharge Upgrade	N/A
Circulation Pump	250 Watt	Evadure Cabinet	Optional
LED Lights	LED Radiance XS	Steps	Optional
Blower	Single Speed Blower	Harmony XS	Optional
Heater	3.8kw		
Aromatherapy	Aromatherapy		

XS950

Size	2965 x 2400 x 1050mm	Ozone	O3 Pure XS
Seating Capacity	7+	Controller	Gecko in.xm / in.k600
Water Capacity	2230L	Remote	Floating Remote & Sensor
Dry Weight	620kg	Cabinet	Cedar Classic
Filled Weight	2850kg	Drain	Cabinet Mounted Drain
		Filtration	2 x 75sqft
Hydrotherapy Jets	39	Insulation	Thermo Lock XS
Deep Tissue Massage	40	Hard Cover	Lockable Hard Cover
Swim Jet	1	Base	Reinforced Fibreglass Base
Air Jets	14	Electrical	32amp Direct Wire
Waterfalls	1		
Total Stainless Steel Jets	95	Optional Upgrades	
		<i>(See page 9 for details)</i>	
High Performance Pumps	3 x 3HP	Supercharge Upgrade	N/A
Circulation Pump	250 Watt	Evadure Cabinet	Optional
LED Lights	LED Radiance XS	Steps	Optional
Blower	Single Speed Blower	Harmony XS	Optional
Heater	3.8kw		
Aromatherapy	Aromatherapy		



XS1000

Size	2355 x 2355 x 923mm	Ozone	O3 Pure XS
Seating Capacity	6+	Controller	Gecko in.xm / in.k600
Water Capacity	1700L	Remote	Floating Remote & Sensor
Dry Weight	520kg	Cabinet	Cedar Classic
Filled Weight	2200kg	Drain	Cabinet Mounted Drain
Hydrotherapy Jets	33	Filtration	2 x 75sqft
Deep Tissue Massage	44	Insulation	Thermo Lock XS
Swim Jet	1	Hard Cover	Lockable Hard Cover
Air Jets	20	Base	Reinforced Fibreglass Base
Waterfalls	2	Electrical	32amp Direct Wire
Total Stainless Steel Jets	100	Optional Upgrades	
High Performance Pumps	3 x 3HP	<i>(See page 9 for details)</i>	
Circulation Pump	250 Watt	Supercharge Upgrade	N/A
LED Lights	LED Radiance XS	Evadure Cabinet	Optional
Blower	Single Speed Blower	Steps	Optional
Heater	3.8kw	Harmony XS	Optional
Aromatherapy	Aromatherapy		



“For more information have a look at our large range of portable Spas and Swim Spas at www.maaxspa.com.au. You are sure to find a model that suits your budget, home and lifestyle.”

Spa Colour Range



Oyster



Aluminium



Oceanwave



Summer Sapphire



Mystic Emerald



Midnight



Graphite



Silver White Marble



White Pearl



Gypsum



Quartz



Sahara



Navy



Cinnabar

Cover Colour Range



Tan



Grey



Coffee

Evadure Cabinet Colour Range



Grey



Teak

Standard



O3 Pure XS
Ozone + Mixing Chamber



LED Radiance XS
LED Light + 12 x LED
Bud Lights



Thermo Lock XS
Double Closed Cell Foam on
Shell & Pipework + Thermo
Shield Cabinet Lining



Harmony XS
Gecko Radio and Ipod Dock
S/Woofers & 4 Speakers
& Topside Control
(Selected Models Only)



Supercharge Upgrade
(32am Direct Wire)
8 Extra Water Jets,
Extra 3HP Pump
& 4kW Heater
(Selected Models Only)



Steps



Evadure Cabinet

Built to Last

Spa Structure

Solid-Bond® 5 Layer Spa Shell Construction (Standard)

The Solid Bond 5 Layer Spa Shell Construction not only provides you with greater spa shell strength but also gives you far superior Thermal Retention qualities conserving energy and reducing heating costs by maintaining water temperature longer.

The 5 Layers consist of:

- Aristech Acrylic the world's most used Spa Pool and Swim Spa acrylic surface with a finish that no one can match.
- Vinyl ester water barrier and bonding layer behind the acrylic surface. This is essential for the shells integrity and ability to last blemish free for decades.
- Two layers of Polyester structural resin for the shells strength and rigidity making the shell capable of holding many tons of water and people
- 10mm of shell insulating closed cell foam for heat retention



Cabinet Structure and Durability (Standard)

All spa and Swim Spa supporting frames are pre-engineered to ensure that the integrity of the spa will remain intact and maintenance free for years to come.

Canadian Western Red Cedar Cabinet (Standard)

The natural beauty and exterior durability of Canadian Western Red Cedar is highlighted in the standard cabinet. An engineered sub-frame support the 20mm Cedar with a build quality second to none. Each cabinet is coated in our naturally coloured timber treatment with UV inhibitors, anti-fungicides and timber preservatives to reduce cabinet maintenance.

Evadure® Cabinet (Optional)

The Evadure Cabinet is a UV resistant synthetic cabinet that is virtually maintenance free and extremely durable for exterior use. The hand scraped textured finish gives a natural look with two attractive colours available; grey and teak.



Thermo Lock® (Standard)

The Thermo Lock High Density Closed Cell Insulation included on every Spa provides a dual layer of heat resistant high density closed cell foam that carries an impressive rating of R-25 for heat retention.



Thermo Lock® XS (Standard)

Designed for the coldest climates, the Closed Cell Foam Insulation on the shell and pipe work plus the new cabinet foam-foil insulation system ensures that the heat stays in the spa. The insulation system and the thermal retentive hardcover combined reduce the energy consumption of the spas heating system – saving money and making the spa more environmentally efficient. Thermo Lock XS® significantly reduces heating and running costs by maintaining water temperatures longer. It also supports the spas plumbing and fittings by locking them in place and ensuring their longevity.



Shield Base® Moulded Fibreglass Base (Standard)

Moulded to snugly fit the base frame of the spa, the Shield Base assists in protecting the spas interior equipment and fittings by providing a moisture barrier. It adds to the structural integrity of the spa and is also a deterrent for unwanted rodents and bugs making their home within the spa cabinet. Each fibreglass base is hand rolled, cured and attached to the frame. Once cured, fibreglass is stronger than concrete providing the perfect foundation for each spa and Swim Spa.



Premium Control



Making Controlling your Spa Easy Gecko IN.XM/ Gecko IN.XE™ (Standard)

With their waterproof enclosures and breakthrough in.link connectors, the in.xm and in.xe packs boast the highest water resistance ever designed – just one of a long list of innovative features that make in.xm and in.xe the safest and most reliable spa pack platforms ever offered.



“in.link” Plugs and Connectors (Standard)

With coloured and tagged polarises, in.link waterproof cables are designed to ensure that all equipment cables used to make a spa work properly are well connected and easily configured to eliminate any risk of miss-wiring.



Top-Side Multi-Function Touchpad's (Standard)

Full-function and multi-feature keypads with graphic LCD displays and navigation keys providing control of all functions and programming of the spa system and of peripheral accessories with just the press of a button.



IRMT-4 Remote control (XS Models Only)

IRMT-4 infrared waterproof remote controls spa functions, and can be tuned into most audio equipment CD, AM/FM Tuner and video equipment TV, VCR, or DVD.

Premium Heating

Efficient and Reliable Gecko Incoloy® 825 Heater (M-Series Only)

Heater Size available in – 2kw and 3.8kw



Gecko Remote Heating “in.therm” with Titanium Heater (X & XS Models)

Separated from the pack, in.therm is an intelligent 3.8kw remote heater that integrates electronics directly in its power box. Its long list of features includes a built in temperature probe and new water flow detection that eliminates the need of a pressure switch. No moving parts, no needs for adjustments, designed to be easily and quickly installed and totally maintenance free and defines new levels of reliability.

Water Temperature Algorithm Monitoring “in.t.cip”

This technology monitors water temperature through in.t.cip – an intelligent water temperature algorithm that calculates the optimal time to start pumps and get water temperature readings. Heater start times are continuously adjusted to ensure that it is operating at its most efficient level at all times.

Energy Smart Options

All Models available In:

- Portable With Electric Heating
- Optional Energy Smart Circulation Pump
- Portable Electric Hybrid with Gas Heater or Heat Pump
- In ground Electric Hybrid with Gas or Heat Pump
- In ground with Gas Heater or Heat Pump





Premium Spa Pumps & Jets

High Performance Pumps (Standard)

The single speed High Flow Hydrotherapy massage pumps designed to produce optimal performance from all of your spa massage jets. We match the pumps to your jet configuration to ensure that every spa meets our performance requirements.

High Performance Air Transfer Pumps (Standard)

The whisper quiet Air Transfer Pump supplies strong airflow to your soft tissue massage jets providing, tranquillity, relaxation and well-being as thousands of tiny air bubbles provide you with a complete body massage.

Energy Efficient Filtration Pumps (Standard) (Circulation Pump)

Small and Energy efficient filtration and heating pumps provide the ability to program filtration times from 0 to 24 hours to suit your usage requirements. Providing 100% filtration for perfectly clean water and flow rates to allow adequate water turnover and water sanitisation there is no more efficient way to maintain your water quality.

Massage Jets & Fittings (Standard)



Super Venturi Technology

Patented Australian Super Venturi Technology (SVT) has been developed to significantly improve performance of the jets – delivering 25% better water and air mix and supplying a more comfortable and powerful massage. Made from superior materials, the SVT jet is stronger and more resistant to spa chemicals. With a plastic nylon or stainless steel pin, these bearing free jets carry an industry leading 5-year warranty.

Massage Jet Types

- Hydrotherapy Jets with “SVT”
- Deep Tissue Massage Jets
- Soft Tissue Massage Jets
- Force 10 Swim Jets with “SVT”
- Force 10 Exercise Jet with “SVT”

Premium Safety

Protecting your Family and your Spa Kinetic Heat Monitoring “in.kin” (Standard)

The Kinetic Heat Monitoring manages water temperature increases generated by pump heat dissipation to protect spas and spa users against water over heating. in.kin is the industry's first and only true kinetic heat protection. It monitors all pump outputs, not just the “heating” pump.



Solid State Monitoring “in.flo” (Standard)

Solid State Monitoring “in.flo” is an all electronic dry-fire protection built-in to the spa heaters power box. in.flo eliminates the burden of adjustments, calibrations and failures associated to usual water flow sensors.

Water Tight Protection “in.seal” (Standard)

Water Tight Protection “in.seal” provides an extra level of protection against water infiltration. Connectors and power boxes are designed to be watertight with no direct water contact to electrical components. All components are IPX5 rated for your protection.





Lockable Hard Cover (Standard)

The Lockable Hard Cover is manufactured with marine-grade vinyl with high density insulating foam inserts. The cover boasts a load rating of 100kg static weight and provides maximum heat retention. It is designed to be easily moved on and off the spa and also features multiple lock down key entry straps for added child safety and peace of mind.

Safety Standards

All of our spas are built to Australian Safety Standards including filtration, suction and electrical. We also have full Australian Electrical Approvals /SGS Approval # SGS100208. /SAA Approval # A/12571EA:

- Australian Prescribed Article Approvals
- CE, TUV and UL Approvals
- Australian Standards Compliant

Premium Lighting

Radiance Classic (Standard)

Underwater colour LED light system that provides all the potential of smart-controlled LED lights. Users can select a specific colour or let the lighting system create colour variations for your visual pleasure.



Radiance XS® (Standard)

In addition to the Radiance Classic, the Radiance XS offers an additional 12 x LED Bud lights placed inside the spa under the waterline adding to the ambiance when using your spa at night.

Water Management

Cleaning Systems

Aqua Clean Filtration (Standard)

The Aqua Clean Filtration System keeps your spa water crystal clean and clear by providing from 75sqft – 150sqft of the most proven and effective filtration action available. Aqua Clean Filtration gives you easy access to your cartridges and incorporates a new 100% filter flow-through making the spa water crystal clear.

O³ Pure® (Standard)

The O³ Pure® keeps your water free of impurities and micro-organisms and is up to four-times more efficient than conventional UV ozone water treatment methods. This unique system gives you 100% efficiency when mixing ozone and water helping to keep the spa water clean, clear and safe.



O³ Pure XS® (Standard)

The O³ Pure XS® incorporates an innovative backlit mixing chamber to increase the contact time of the ozone with the spa water – keeping your spa crystal clear and reducing chemical usage by up to 90%.

Additional Features

Aromatherapy (Standard)

Involving pure essential aromas, aromatherapy is therapeutic and will enhance your spa experience through a sense of ease and calmness.



Hydrotherapy Zone Selectors (Standard)

Hydrotherapy Zone Selectors give you total control over the various massage seating areas in the spa. You can adapt jet pressures to your desired comfort levels by gradually shifting water between the selected zones and create your own unique spa experience.



Spa Plumbing (Standard)

All Spas are plumbed using 100% food grade virgin plastic that does not break down and harbour bacteria – like cheaper recycled plastic hose. In addition, all the pipes are glued and secured with self-tensioning clamps to ensure years of trouble free operation. We guarantee this quality with an industry leading 3-year no leak warranty.





Optional

Accessories and Upgrades Supercharge M Upgrade

(Available on M-450 / M-510 / M-500 Models)*

The Supercharge M-Series Upgrade allows you to add a second High Performance Pump with a 3.8kw heater. We replace eight Soft Tissue Massage Jets with eight Deep Tissue Jets. The spa will require power of 32amp-Direct Wire or Multi-Phase.



Wireless In-House Monitoring "in.watch"

Wireless In-House Monitoring "in.watch" displays indoor and outdoor temperatures, keeps an eye on your spa systems condition and reads water temperature from a wireless LCD display inside your home.



Harmony XS® - Waterproof AM/FM Receiver / iPod Dock

Harmony XS® offers AM, FM, and seven weather band tuning. It plays iPods through the docking station mounted on the spa cabinet. A topside control pad allows for full control of the iPod from the spa and tags for song title, album and artist name scroll on display.

* Supercharge upgrade limited to some models. Please note upgrades can change the electrical configuration of your spa and you may need to adjust your wiring accordingly. If you are unsure, please ask our friendly staff to explain.



“We pride ourselves on quality and are leaders in spa technology and hydrotherapy.”

Maax Spa offers the strongest warranty available in Australia along with a national and global distribution network.

With world class portable spas, in-ground spas, Swim Spas and accessories, Maax Spa has the perfect relaxation, entertainment or work out solution for you.

Eliminate the “hustle and bustle” of everyday life and reclaim some peace and tranquility in your own backyard with your very own Maax Spa.

Australia's Strongest Warranty

20 Years Shell Structure

10 Years Cabinet Structure

10 Years Insulation

5 Years Jet Warranty

5 Years Acrylic Surface

3 Years Pumps

3 Years Controllers

For more information, visit our website at www.maaxspa.com.au



Relax with Maax

call **13SPAS** or visit **maaxspa.com.au**

Please note images are for illustration purposes only. Maax Spa Pty Ltd reserves the right to update and modify where applicable.

